

PRODUCT-DETAILS

AM48244-AG

AM48244-AG Push button 1-gang, 1-way, SP 10AX, Double rocker size - AG



General Information

| | |
|-----------------------|---|
| Extended Product Type | AM48244-AG |
| Product ID | 2CLA624480N1657 |
| EAN | 8427238106106 |
| Catalog Description | AM48244-AG Push button 1-gang, 1-way, SP 10AX, Double rocker size - AG |
| Long Description | Rated voltage: 250Vac Rated power: 10AX Output: 2 normally open contact Multi-way input terminal (up/down) |

Technical

| | |
|---------------------------|---|
| Product Name | Push button 1-gang, 1-way, SP 10AX, Double rocker size - AG |
| Function | 1g2w SP push 10AX, Double |
| Rated Voltage (U_r) | 250 V |
| Rated Current (I_n) | 10 A |
| Contacts Configuration | 1 NO, 0 NC |
| Number of Poles | 1 |
| Number of Rocker Switches | 2 |
| Actuator Type | Rocker |
| Mounting Type | Flush mounted (plaster) |
| Type of Fastening | Screw |
| Surface Finishing | 1NO0NC |
| Material | Metal |
| Model Number | Group push button |

| | |
|---------------------|------|
| Color | Gold |
| Number of Batteries | 0 |

Environmental

| | |
|---------------------------|--|
| Ambient Air Temperature | Operation -5 ... +35 °C Storage -5 ... +50 °C |
| Degree of Protection | IP20 |
| Environmental Information | 9AKK108466A4748 |

Dimensions

| | |
|----------------------------------|----------|
| Product Net Width | 0.102 m |
| Product Net Height | 0.062 m |
| Product Net Depth / Length | 0.102 m |
| Product Net Weight | 0.184 kg |
| Built-In Depth (t ₂) | 25 mm |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 0.102 m |
| Package Level 1 Height | 0.062 m |
| Package Level 1 Depth / Length | 0.102 m |
| Package Level 1 Gross Weight | 0.184 kg |
| Package Level 1 EAN | 8427238106106 |

Ordering

| | |
|-------------------------|------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85365080 |
| Country of Origin | Spain (ES) |
| Selling Unit of Measure | piece |

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Environmental Information | 9AKK108466A4748 |
| Instructions and Manuals | 9AKK106930A7740 |

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A7740 |
| Instructions and Manuals | 9AKK106930A7740 |

Classifications

| | |
|----------------|--|
| ETIM 6 | EC000029 - Push button |
| ETIM 7 | EC000029 - Push-switch button |
| ETIM 8 | EC000029 - Push-switch button |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 85365080 |

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

