


PRODUCT-DETAILS

# 8101.5

## 8101.5 Switch 1-gang, 1-way, single pole



### General Information

Extended Product Type	8101.5
Product ID	2CLA810150A1001
EAN	8427238021706
Catalog Description	8101.5 Switch 1-gang, 1-way, single pole
Long Description	Rated voltage: 110 - 250 Vac Rated current: 10AX Screwless terminals Included: fixing claws 3 wire connection (neutral conductor required) Included: indicator LED lamp 6192 BL (230 Vac) Rocker code: 8501.3, 8501.4, 8601.3, 8401.3, 8401.4, 8201.3, 8201.4, 5501.3, 5501.4 & 5501.5

### Technical

Product Name	Switch 1-gang, 1-way, single pole
Function	Function lighting: Illuminated (on)
Rated Voltage ( $U_r$ )	250 V
Rated Current ( $I_n$ )	10 A
Maximum Switching Current	Fluorescent Lamps 10
Number of Rocker Switches	1
Wiring Configuration	Off switch 1-pole
Actuator Type	Rocker/button
Connection Type	Plug Clamp

Lamp Type	LED exchangeable
Mounting Type	Flush mounted (plaster)
Type of Fastening	Screw
Label Space Provided	No
Illumination	Illuminated
Number of Batteries	0

---

## Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

---

## Dimensions

Product Net Width	0.149 m
Product Net Height	0.078 m
Product Net Depth / Length	0.225 m
Product Net Weight	0.062 kg

---

## Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.149 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.225 m
Package Level 1 Gross Weight	0.62 kg
Package Level 1 EAN	8427238021706

---

## Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

---

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A1744
Instructions and Manuals	2CLX810109A1001

---

## Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX810109A1001

---

## Classifications

---

ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
ETIM 8	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080
UNSPSC	39122200

---

## Categories

---

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Mechanical Special Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Mechanical Special Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Mechanical Special Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Mechanical Special Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switch Inserts

