


PRODUCT-DETAILS

# 8104.9

## 8104.9 Push-button 1-gang, single pole, NC



### General Information

Extended Product Type	8104.9
Product ID	2CLA810490A1001
EAN	8427238028637
Catalog Description	8104.9 Push-button 1-gang, single pole, NC
Long Description	<p>Rated voltage: 110 - 250 Vac            Rated current: 10AX            NC: normally closed            Screwless terminals            Included: fixing claws            Optional: locator LED lamp 6192 BL (230 Vac)            Rocker code: 8501, 8501.3, 8504, 8504.2, 8504.3, 8504.4, 8601, 8601.3, 8401, 8401.3, 8404, 8404.2, 8404.3, 8404.4, 8201, 8201.3, 8201.9, 5501, 5501.3, 5501.5, 5504, 5504.2, 5504.3 &amp; 5504.4</p>

### Technical

Product Name	Push-button 1-gang, single pole, NC
Rated Voltage ( $U_r$ )	250 V
Rated Current ( $I_n$ )	10 A
Contacts Configuration	0 NO, 1 NC
Number of Poles	1
Number of Rocker Switches	1
Actuator Type	Rocker
Mounting Type	Flush mounted (plaster)
Type of Fastening	Screw

Surface Finishing	ONO1NC
Model Number	Single push button
Number of Batteries	0

## Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

## Dimensions

Product Net Width	0.101 m
Product Net Height	0.102 m
Product Net Depth / Length	0.208 m
Product Net Weight	0.06 kg
Built-In Depth (t <sub>2</sub> )	25 mm

## Container Information

Package Level 1 Units	box 5 piece
Package Level 1 Width	0.101 m
Package Level 1 Height	0.102 m
Package Level 1 Depth / Length	0.208 m
Package Level 1 Gross Weight	0.3 kg
Package Level 1 EAN	8427238028637

## Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A1744
Instructions and Manuals	2CLX810109A1001

## Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX810109A1001

## Classifications

ETIM 6	EC000029 - Push button
ETIM 7	EC000029 - Push-switch button

ETIM 8	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080
UNSPSC	39122200

---

## Categories

---

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Mechanical Switch / Push Button Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Mechanical Switch / Push Button Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Mechanical Switch / Push Button Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Mechanical Switch / Push Button Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button Inserts

