

PRODUCT-DETAILS

8119

8119 Buzzer



General Information	
Extended Product Type	8119
Product ID	2CLA811900A1001
EAN	8427238016535
Catalog Description	8119 Buzzer
Long Description	Rated voltage: 230 Vac / 50 Hz Rated power: 8 VA Adjustable tone Acoustic power at 1 meter with cover plate: 75 dB Without fixing claws Cover plate code: 8529, 8629, 8419, 8219 & 5529

Technical	
Product Name	Buzzer
Current Type	AC
Rated Voltage (U _r)	250 V
	0.2 A
Sound / Tone Type	Continuous Tone
Sound dB (A)	72 dB
Mounting Type	Built-in
Surface Finishing	Untreated
Housing Material	Plastic
Housing Color	Black
Number of Batteries	0

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C
Degree of Protection	IP20

Dimensions	
Product Net Width	0.149 m
Product Net Height	0.078 m
Product Net Depth / Length	0.225 m
Product Net Weight	0.064 kg

Container Information	
Package Level 1 Units	box 10 piece
Package Level 1 Width	0.149 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.225 m
Package Level 1 Gross Weight	0.64 kg
Package Level 1 EAN	8427238016535

Ordering	
Minimum Order Quantity	10 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No document needed

Popular Downloads	
Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	No document needed

Classifications	
ETIM 6	EC000844 - Buzzer
ETIM 7	EC000844 - Buzzer
ETIM 8	EC000844 - Buzzer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080
UNSPSC	46171618

8119

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Cable\ Outlets,\ Blank\ Plates\ and\ Accessories \rightarrow Buzzer\ \&\ Bell\ \rightarrow Buzzer\ \&\ Bell\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow Buzzer\ \&\ Bell\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow Flush\ Mounted\ Inserts \rightarrow Buzzer\ \&\ Bell\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Sky \rightarrow Flush\ Mounted\ Inserts \rightarrow Buzzer\ \&\ Bell\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Tacto \rightarrow Flush\ Mounted\ Inserts \rightarrow Buzzer\ \&\ Bell\ Inserts$

