

PRODUCT-DETAILS

# 8130.2

## 8130.2 Universal double relay time delayed switch



### General Information

Extended Product Type	8130.2
Product ID	2CLA813020A1001
EAN	8427238057309
Catalog Description	8130.2 Universal double relay time delayed switch
Long Description	<p>Rated voltage: 230 V~, +10 % / -10 %            Rated frequency: 50 Hz            For switching incandescent lamps, 230 V tungsten halogen lamps, fluorescent lamps and low-voltage halogen lamps, that are actuated via transformers.            3 wire connection (neutral conductor required).            With operating mode switch for operating mode: switch, time switch.            Switch operating mode: press on the upper rocker switch half to switch the light on, press on the lower rocker switch half to switch the light off.            Time switch operating mode: press on the upper rocker switch half to switch the light on, the light automatically switches off after a time delay. Manual switching off not possible. The delay can be set in 5 steps between 30 and 300 secs.            Operation also possible via conventional push buttons 8104.X.            Inputs: 1            Polling voltage: 230 V~, Sensing pulse, L-wire            Outputs: 2 Normally open contacts, potential-bound            Suitable for: ohmic, capacitive and inductive loads            Rated current: 2x 3 AX            Rated power: 2x 700 W/VA            Included: attachable claws.            Electronic cover plate code: 8530, 8430, 8230 &amp; 5530</p>

### Technical

Product Name	Universal double relay time delayed switch
--------------	--

Number of Channels	4
Transmission Standard	Radio Control
Mounting Type	Flush mounted (plaster)
Number of Batteries	0

## Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

## Dimensions

Product Net Width	0.073 m
Product Net Height	0.052 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.102 kg

## Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.073 m
Package Level 1 Height	0.052 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.102 kg
Package Level 1 EAN	8427238057309

## Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Germany (DE)
Selling Unit of Measure	piece

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A1745
Instructions and Manuals	No document needed

## Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	No document needed

## Classifications

ETIM 6	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 7	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 8	EC000257 - Transmitter/Remote control for domestic switching devices

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080
UNSPSC	39122226

## Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Electronic Timer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Electronic Timer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Electronic Timer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Electronic Timer Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Timer → Electronic Timer - Flush Mounted → Electronic Timer Inserts

