

PRODUCT-DETAILS

8134.3

8134.3 Circuit breaker 16A & RCD 10mA



General Information

Extended Product Type	8134.3
Product ID	2CLA813430A1001
EAN	8427238044156
Catalog Description	8134.3 Circuit breaker 16A & RCD 10mA
Long Description	Rated voltage: 120 - 230 Vac; 50/60 Hz Rated current: 16A Braking capacity: 3.000A Residual current (sensitivity - I Δ n): 10 mA C type magneto-thermic protection A type residual current protection Two-pole (1P + N) with 1 protected pole Without fixing claws Cover plate code: 8534, 8434, 8234 & 5534

Technical

Product Name	Circuit breaker 16A & RCD 10mA
Rated Operational Voltage	Maximum 230 V
Number of Poles	1
Number of Switch Positions	2
Design	Built-in device
Actuator Type	Rocker
Switch Type	On / Off
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	Front IP20

Dimensions

Product Net Width	0.076 m
Product Net Height	0.064 m
Product Net Depth / Length	0.076 m
Product Net Weight	0.12 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.12 kg
Package Level 1 EAN	8427238044156

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363010
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC002611 - Control switch
ETIM 7	EC002611 - Control switch
ETIM 8	EC002611 - Control switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363010
UNSPSC	39122200

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Protection Devices

