

PRODUCT-DETAILS

8153

8153 Key switch 1-way, 2 positions, single pole



General Information

| | |
|-----------------------|---|
| Extended Product Type | 8153 |
| Product ID | 2CLA815300A1001 |
| EAN | 8427238016726 |
| Catalog Description | 8153 Key switch 1-way, 2 positions, single pole |
| Long Description | Rated voltage: 110 - 250 Vac Rated current: 5A Key removable in the 2 positions Unique key for each lock Suitable for alarms Cover plate code: 8553 & 8253 |

Technical

| | |
|---------------------------|--|
| Product Name | Key switch 1-way, 2 positions, single pole |
| Rated Voltage (U_r) | 250 V |
| Rated Current (I_n) | 5 A |
| Number of Rocker Switches | 1 |
| Wiring Configuration | Alternating-/alternating switch |
| Actuator Type | Key |
| Connection Type | Plug Clamp |
| Mounting Type | Flush mounted (plaster) |
| Type of Fastening | Screw |
| Label Space Provided | No |
| Illumination | Non-illuminated |

| | |
|---------------------|---|
| Number of Batteries | 0 |
|---------------------|---|

Environmental

| | |
|-------------------------|--|
| Ambient Air Temperature | Operation -5 ... +35 °C Storage -5 ... +50 °C |
| Degree of Protection | IP20 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 0.076 m |
| Product Net Height | 0.064 m |
| Product Net Depth / Length | 0.076 m |
| Product Net Weight | 0.128 kg |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Width | 0.076 m |
| Package Level 1 Height | 0.064 m |
| Package Level 1 Depth / Length | 0.076 m |
| Package Level 1 Gross Weight | 0.128 kg |
| Package Level 1 EAN | 8427238016726 |

Ordering

| | |
|-------------------------|------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85365080 |
| Country of Origin | Spain (ES) |
| Selling Unit of Measure | piece |

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Instructions and Manuals | 2CLX815309A1001 |

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK107046A0356 |
| Instructions and Manuals | 2CLX815309A1001 |

Classifications

| | |
|----------------|--|
| ETIM 6 | EC001590 - Switch |
| ETIM 7 | EC001590 - Switch |
| ETIM 8 | EC001590 - Installation switch |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

CN8

85365080

UNSPSC

39122200

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Mechanical Special Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Mechanical Special Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Mechanical Special Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Mechanical Special Switch Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switch Inserts

