

PRODUCT-DETAILS

8159.5

8159.5 Potentiometer for loudspeakers 5W



General Information	
Extended Product Type	8159.5
Product ID	2CLA815950A1001
EAN	8427238016788
Catalog Description	8159.5 Potentiometer for loudspeakers 5W
Long Description	Wire-wound potentiometer 5 W / 47 Ω For low impedance circuits Without fixing claws Cover plate code: 8559, 8459, 8259 & 5559

echnical	
Product Name	Potentiometer for loudspeakers 5W
Rated Voltage (U _r)	12 V
Number of Outputs	Analog (0 10 V / 4 20 mA) 0
Mounting Type	Flush mounted (plaster)
Number of Batteries	0

Environmental	
Ambient Air Temperature	Operation -5 +35 °C Storage -5 +50 °C
Degree of Protection	IP20

Dimensions	
Product Net Width	0.076 m
Product Net Height	0.064 m
Product Net Depth / Length	0.076 m
Product Net Weight	0.08 kg
Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	0.076

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	8427238016788

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No document needed

Popular Downloads	
Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	No document needed

Classifications	
ETIM 6	EC002484 - Sound system for domestic switching devices
ETIM 7	EC002484 - Sound system for domestic switching devices
ETIM 8	EC002484 - Sound system for domestic switching devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080
UNSPSC	39122200

8159.5

Categories

 $Low\ Voltage\ Products\ and\ Systems \to Switch\ Assortments \to Flush\ Mounted\ Modular\ Range\ -\ Niessen \to Design\ Zenit \to Flush\ Mounted\ Inserts\ with\ Cover\ Plate \to Multimedia\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow Multimedia\ Inserts$

 $\mbox{Low Voltage Products and Systems} \rightarrow \mbox{Switch Assortments} \rightarrow \mbox{Flush Mounted VDE Range - Niessen} \rightarrow \mbox{Design Olas} \rightarrow \mbox{Flush Mounted Inserts}$

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Switch\ Assortments\ \rightarrow\ Flush\ Mounted\ VDE\ Range\ -\ Niessen\ \rightarrow\ Design\ Sky\ \rightarrow\ Flush\ Mounted\ Inserts\ \rightarrow\ Multimedia\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Switch\ Assortments\ \rightarrow\ Flush\ Mounted\ VDE\ Range\ -\ Niessen\ \rightarrow\ Design\ Tacto\ \rightarrow\ Flush\ Mounted\ Inserts\ \rightarrow\ Multimedia\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \to Switch\ Assortments \to Multimedia\ Devices \to Mul$

