


PRODUCT-DETAILS

8188.5

8188.5 Schuko socket outlet with fixing claws



General Information

| | |
|-----------------------|---|
| Extended Product Type | 8188.5 |
| Product ID | 2CLA818850A1001 |
| EAN | 8427238016917 |
| Catalog Description | 8188.5 Schuko socket outlet with fixing claws |
| Long Description | Rated voltage: 250 Vac Rated current: 16A Type F: 2P + E Shuttered for child safety Screw terminals Max. torsion 0.8Nm according to ISO 60884-1 Included: fixing claws Cover plate code: 8588, 8588.1, 8488, 8288, 8288.1 & 5588 |

Technical

| | |
|-------------------------|--|
| Product Name | Schuko socket outlet with fixing claws |
| Rated Voltage (U_r) | 250 V |
| Rated Current (I_n) | 16 A |
| Frequency (f) | 50...60 Hz |
| Number of Phases | 2 |
| Number of Gangs | 1 |
| Connection Type | Screw |
| Mounting Type | Flush mounted (plaster) |
| Socket Outlet Type | Protective Contact (SCHUKO) |
| Type of Fastening | Screw |

| | |
|---------------------|-----------------------------|
| Legend | Without imprint |
| Model Number | Protective contact (SCHUKO) |
| Number of Batteries | 0 |

Environmental

| | |
|-------------------------|--|
| Ambient Air Temperature | Operation -5 ... +35 °C Storage -5 ... +50 °C |
| Degree of Protection | IP20 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 0.149 m |
| Product Net Height | 0.078 m |
| Product Net Depth / Length | 0.225 m |
| Product Net Weight | 0.069 kg |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | box 10 piece |
| Package Level 1 Width | 0.149 m |
| Package Level 1 Height | 0.078 m |
| Package Level 1 Depth / Length | 0.225 m |
| Package Level 1 Gross Weight | 0.71 kg |
| Package Level 1 EAN | 8427238016917 |

Ordering

| | |
|-------------------------|------------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 85366990 |
| Country of Origin | Spain (ES) |
| Selling Unit of Measure | piece |

Certificates and Declarations (Document Number)

| | |
|--------------------------------|--------------------|
| Declaration of Conformity - CE | 9AKK1074920617 |
| Instructions and Manuals | No document needed |

Popular Downloads

| | |
|-----------------------------------|--------------------|
| Data Sheet, Technical Information | 9AKK107046A0356 |
| Instructions and Manuals | No document needed |

Classifications

| | |
|--------|--------------------------|
| ETIM 6 | EC000125 - Socket outlet |
| ETIM 7 | EC000125 - Socket outlet |
| ETIM 8 | EC000125 - Socket outlet |

| | |
|----------------|--|
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 85366990 |
| UNSPSC | 39121406 |

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Single Socket Outlet

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Single Socket Outlet

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Single Socket Outlet

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Single Socket Outlet

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlet

