

PRODUCT-DETAILS

# 8418.1 AP

## 8418.1 AP Cover plate data outlet



### General Information

Extended Product Type	8418.1 AP
Product ID	2CLA841810A1501
EAN	8427238041261
Catalog Description	8418.1 AP Cover plate data outlet
Long Description	For connectors and supports ref. 2017.2 2017.3, 2018, 2018.5, 2018.6 and 2018.8

### Technical

Product Name	Cover plate data outlet
Mounting Type	Flush mounted (plaster)
Type of Fastening	Mounting with Screw
Type of Indicator	With indication plate
Outlet Orientation	Straight
Surface Finishing	Decor Matt
Material	Metal
Color	Aluminium

### Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

---

## Dimensions

Product Net Width	0.156 m
Product Net Height	0.08 m
Product Net Depth / Length	0.245 m
Product Net Weight	0.068 kg

---

## Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.156 m
Package Level 1 Height	0.08 m
Package Level 1 Depth / Length	0.245 m
Package Level 1 Gross Weight	0.68 kg
Package Level 1 EAN	8427238041261

---

## Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

---

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX840009A1001

---

## Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	2CLX840009A1001

---

## Classifications

ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope

---

## Categories

---

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → CoverPlates (partly incl. Insert) → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

