

PRODUCT-DETAILS

8487 BL

8487 BL Cover socket French



General Information	
Extended Product Type	8487 BL
Product ID	2CLA848700A1001
EAN	8427238027098
Catalog Description	8487 BL Cover socket French
Long Description	Olas .Cover plate for socket outlet ref. 8187

Technical	
Product Name	Cover socket French
Application	Wall socket
Type of Fastening	Screw
Surface Finishing	Decor Matt
Material	Metal
Legend	None
Model Number	Central cover plate
Color	Cream white (electro white)

Environmental	
Ambient Air	Operation -5 +35 °C Storage -5 +50 °C
Temperature	,
Degree of Protection	IP20

Dimensions	
Product Net Width	0.152 m
Product Net Height	0.055 m
Product Net Depth / Length	0.313 m
Product Net Weight	0.036 kg

Container Information	
Package Level 1 Units	box 20 piece
Package Level 1 Width	0.152 m
Package Level 1 Height	0.055 m
Package Level 1 Depth / Length	0.313 m
Package Level 1 Gross Weight	0.72 kg
Package Level 1 EAN	8427238027098

Ordering	
Minimum Order Quantity	20 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX840009A1001

Popular Downloads	
Data Sheet, Technical Information	No document needed
Instructions and Manuals	2CLX840009A1001

Classifications	
ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
ETIM 8	EC000011 - Control element/cover plate for domestic switching devices
WEEE Category	Product Not in WEEE Scope

Categories

8487 BL 3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Socket\ Outlets \rightarrow Single\ Socket\ Outlets \rightarrow Flush\ Mounted \rightarrow Single\ Socket\ Outlets$

