

PRODUCT-DETAILS

8588.3 AI

8588.3 AI Cover plate for Schuko socket outlet - Stainless Steel



General Information

Extended Product Type	8588.3 AI
Product ID	2CLA858830A1401
EAN	8427238204789
Catalog Description	8588.3 AI Cover plate for Schuko socket outlet - Stainless Steel
Long Description	Color: Stainless Steel Cover plate for Schuko w/ USB socket outlet code: 8188.3

Technical

Product Name	Cover plate for Schuko socket outlet - Stainless Steel
Application	Wall socket
Type of Fastening	Screw
Surface Finishing	Glossy
Material	Stainless steel
Legend	None
Model Number	Central cover plate
Color	Stainless steel

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.015 m
Product Net Height	0.054 m
Product Net Depth / Length	0.054 m
Product Net Weight	0.002 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.152 m
Package Level 1 Height	0.055 m
Package Level 1 Depth / Length	0.313 m
Package Level 1 Gross Weight	0.52 kg
Package Level 1 EAN	8427238204789

Ordering

Minimum Order Quantity	20 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX850009A1001

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX850009A1001

Classifications

ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
ETIM 8	EC000011 - Control element/cover plate for domestic switching devices
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Sky Niessen → Socket Outlets with Advanced Functionality

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Socket Outlets with Advanced Functionality → Socket Outlets with Advanced Functionality - Flush Mounted → Socket Outlets with Advanced Functionality

