

PRODUCT-DETAILS

8685 CR

8685 CR Cover plate for USB charger 1,5A - Chrome



General Information

Extended Product Type	8685 CR
Product ID	2CLA868500A1401
EAN	8427238139920
Catalog Description	8685 CR Cover plate for USB charger 1,5A - Chrome
Long Description	Ring color: Chrome Cover plate for USB charger code: 8185

Technical

Product Name	Cover plate for USB charger 1,5A - Chrome
Application	USB
Mounting Type	Flush mounted (plaster)
Type of Fastening	Mounting with Screw
Type of Indicator	Without indication field
Outlet Orientation	Straight
Surface Finishing	Glossy
Material	Metal
Color	Chrome

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.075 m
Product Net Height	0.064 m
Product Net Depth / Length	0.075 m
Product Net Weight	0.059 kg

Container Information

Package Level 1 Units	box 2 piece
Package Level 1 Width	0.075 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.075 m
Package Level 1 Gross Weight	0.118 kg
Package Level 1 EAN	8427238139920

Ordering

Minimum Order Quantity	2 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX860009A1001

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX860009A1001

Classifications

ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121704

Categories

Low Voltage Products and Systems → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Skymoon → Charging Devices

