

PRODUCT-DETAILS

9516 BL

9516 BL Universal movement detector - 2 channels



General Information

Extended Product Type	9516 BL
Product ID	2CLA951600A1101
EAN	8427238205106
Catalog Description	9516 BL Universal movement detector - 2 channels
Long Description	<p>Rated voltage: 230 Vac \pm 10%. Frequency: 50/60 Hz Max Load: LEDi: 400 W. Halogen/Incandescent: 3000 W. Fluorescent: 1300 W. Detection angle: 360°. Detection range: \varnothing 6 m. installed in 2,4 m height. 2 independent channels Potential-free terminal (1 channel) With detection indicator. For false ceilings.</p>

Technical

Product Name	Universal movement detector - 2 channels
Number of Batteries	0

Environmental

Ambient Air Temperature	<p>Operation -5 ... +35 °C Storage -5 ... +50 °C</p>
-------------------------	---

Dimensions

Product Net Width	0.034 m
Product Net Height	0.080 m
Product Net Depth / Length	0.064 m
Product Net Weight	0.080 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.047 m
Package Level 1 Height	0.071 m
Package Level 1 Depth / Length	0.053 m
Package Level 1 Gross Weight	0.346 kg
Package Level 1 EAN	8427238205106

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX951609A1001

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	2CLX951609A1001

Classifications

ETIM 6	EC000133 - Movement sensor complete
ETIM 7	EC000133 - Movement sensor complete
ETIM 8	EC000133 - Movement sensor complete
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099

Categories

Low Voltage Products and Systems → StandAlone Electronics → Indoor Movement Detector → Standard Series → Devices

