

PRODUCT-DETAILS

## ABB530P7SP

Industrial Plugs, 3P+N+E, 7 hour, Red, IP44, 30A, 277/480V, UL/CSA approved and CE compliant



### General Information

Extended Product Type	ABB530P7SP
Product ID	2CMA104447R1000
EAN	7392696044479
Catalog Description	Industrial Plugs, 3P+N+E, 7 hour, Red, IP44, 30A, 277/480V, UL/CSA approved and CE compliant
Long Description	IEC Plug for 30A and 277/480V AC 4P5W, UL/CSA approved and CE compliant

### Ordering

EAN	7392696044479
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	10 piece

### Dimensions

Product Net Width	69 mm
Product Net Height	78 mm
Product Net Weight	0.18 kg

### Container Information

Package Level 1 Width	182 mm
Package Level 1 Depth /	378 mm

Length	
Package Level 1 Height	154 mm
Package Level 1 Gross Weight	2.4 kg
Package Level 1 EAN	7392696052283
Package Level 1 Units	box 10 piece
Package Level 2 Width	800 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	900 mm
Package Level 2 Gross Weight	1100 kg
Package Level 2 EAN	7392696067157
Package Level 2 Units	pallet (lift) 450 piece

## Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

## Certificates and Declarations (Document Number)

CSA Certificate	2CHC660174X0201
Declaration of Conformity - CE	2CMC700005D0022
Environmental Information	2CMC000056M0000
RoHS Information	2CMC700005D0022
UL Certificate	E109550-19950105
REACH Declaration	2CMC700005D0022

## Additional Information

Additional Information	3P+N+E
Ambient Temperature	-25 ... 40 °C
Cable Cross-Section	2.5 ... 6 mm <sup>2</sup>
Cable Diameter	22 mm
Cable Entry Position	Swivel
Color	Red
Connection Type	Screw
Degree of Protection	IP44
Frequency (f)	50 Hz 60 Hz
Function	Plug
Housing Material	Plastic (PA)
Invoice Description	Ind. P&S#ABB530P7SP
Number of Poles	5
Order Multiple	10 piece
Product Main Type	EP
Product Name	Industrial Plug
Rated Current (I <sub>n</sub> )	30 A
Rated Voltage (U <sub>r</sub> )	277/480 V
Standards	UL 1682, 1686 / CSA C22.2 No. 182.1-13
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC700041M0005
Installation Manual	2CMC700041M0005

RAL Number

RAL 7012 - Basalt Grey

---

### Classifications

eClass

27440509

UNSPSC

39121402

---

### Technical

Wire Size

12 ... 10 AWG

Tightening Torque

WireClamp1.2 N·m

---

### Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Easy & Safe → Plugs

