

PRODUCT-DETAILS

ABB560B9WN

Panel mounted inlets 60A-9h/120/208-144/250V~, UL/CSA approved and CE compliant



General Information	
Extended Product Type	ABB560B9WN
Product ID	2CMA105150R1000
EAN	7392696051507
Catalog Description	Panel mounted inlets 60A-9h/120/208-144/250V~, UL/CSA approved and CE compliant
Long Description	IEC Inlet for 60A and 120/208-144/250V AC 4P5W, UL/CSA/NSF approved and CE compliant
Ordering	
EAN	7392696051507
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece
Dimensions	
Product Net Width	114 mm
Product Net Height	114 mm
Product Net Weight	0.57 kg

Package Level 1 Width	112 mm
Package Level 1 Depth / Length	139 mm
Package Level 1 Height	112 mm
Package Level 1 Gross Weight	0.8 kg
Package Level 1 EAN	7392696051507
Package Level 1 Units	box 1 piece
Environmental	
RoHS Status	Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)		
CSA Certificate	2CHC660174X0201	
Declaration of Conformity - CE	2CMC700005D0022	
Environmental Information	2CMC000056M0000	
RoHS Information	2CMC700005D0022	
UL Certificate	E109550-19950105	
UL Listing Card	73E2	
REACH Declaration	2CMC700005D0022	

Additional Information	
Additional Information	3P+N+E
Ambient Temperature	-25 40 °C
Cable Cross-Section	6 25 mm²
Color	Blue
Connection Type	Screw
Degree of Protection	IP67
Design	Surface mounted plug
Frequency (f)	50 Hz 60 Hz
Function	Inlet
Housing Material	Thermoplastic (PBT)
Invoice Description	Ind. P&S#ABB560B9WN
Mounting Holes	61x61
Number of Poles	5
Order Multiple	1 piece
Product Main Type	TBU
Product Name	Panel mounted inlet
Rated Current (I _n)	60 A
Rated Frequency (f)	50 60 Hz
Rated Voltage (U _r)	120/208 144/250 V

Standards	UL 1682, 1686 / CSA C22.2 No. 182.1-13
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	No document needed
Installation Manual	2CMC700052M0001
RAL Number	RAL 7001 - Silver Grey

Classifications	
eClass	27440519
UNSPSC	39121402

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Industrial\ Plugs\ and\ Sockets \rightarrow Easy\ \&\ Safe \rightarrow Inlets\ for\ Panel\ Mounting$

