

PRODUCT-DETAILS

3AUA0000003380

FREQUENCY CONVERTER



General Information

Product ID	3AUA0000003380
ABB Type Designation	ACS550-01-046A-2
EAN	6410038103163
Catalog Description	FREQUENCY CONVERTER
Long Description	ACS550-01-046A-2

Complete Drive Module Efficiency (61800-9-2)

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	171 W	0.9 %	85.1 %
0 / 50 %	243 W	1.3 %	88.6 %
0 / 100 %	491 W	2.7 %	88.4 %
50 / 25 %	177 W	1.0 %	92.0 %
50 / 50 %	255 W	1.4 %	93.9 %
50 / 100 %	512 W	2.8 %	93.9 %
90 / 50 %	279 W	1.5 %	96.2 %
90 / 100 %	543 W	2.9 %	96.3 %

Electrical Data

Ordering

Customs Tariff Number	85044084
EAN	6410038103163
Quote Only	No
Made To Order	No
Part Type	New
Selling Unit of Measure	piece
Minimum Order Quantity	1 piece
Order Multiple	1 piece

Container Information

Gross Volume	0.081 m ³
--------------	----------------------

Dimensions

Product Net Height	583 mm
Product Net Length	231 mm
Product Net Weight	16 kg
Product Net Width	203 mm

Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage (U _{in})	208 ... 240 V
IP Class	IP21
Mounting Type	Wall Mounting
Number of Phases	3

Technical Information Following options are available only as loose options.
Please add them separately to shopping cart.

3AUA0000002040 OREL-01 ACS 550 Relay Output Extension+L511
64606891 RDNA-01 DeviceNet +K451
64606883 RLON-01 Lonworks +K452
64606859 RPBA-01 PROFIBUS-DP +K454
64751727 RETA-01 Ethernet (Modbus TCP, EtherNet/IP) +K466
68840830 RETA-02 Ethernet (Modbus TCP, PROFINET)+K467

Two Speed Motor	No
Communication Protocol	MODBUS LON DeviceNet PROFIBUS CAN EtherNet/IP PROFINET IO TCP/IP Other Bus Systems

Additional Information

Product Main Type	ACS550
Product Name	FREQUENCY CONVERTER

Classifications

Product Series

ACS550-01

ETIM 7

EC001857 - Frequency converter =< 1 kV

Categories

Drives → Low Voltage AC Drives → General Purpose Drives → ACS550-01 - Wall-mounted drive

