

PRODUCT-DETAILS

3AUA0000004182

FREQUENCY CONVERTER



General Information

Product ID	3AUA0000004182
ABB Type Designation	ACS550-01-024A-2+B055
EAN	6410038103262
Catalog Description	FREQUENCY CONVERTER
Long Description	ACS550-01-024A-2+B055

Complete Drive Module Efficiency (61800-9-2)

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	115 W	1.2 %	81.6 %
0 / 50 %	150 W	1.6 %	86.8 %
0 / 100 %	256 W	2.7 %	88.5 %
50 / 25 %	123 W	1.3 %	89.6 %
50 / 50 %	167 W	1.7 %	92.5 %
50 / 100 %	303 W	3.1 %	93.1 %
90 / 50 %	199 W	2.1 %	94.9 %
90 / 100 %	381 W	4.0 %	95.1 %

Electrical Data

Ordering

Customs Tariff Number	85044084
EAN	6410038103262
Quote Only	No
Made To Order	No
Part Type	New
Selling Unit of Measure	piece
Minimum Order Quantity	1 piece
Order Multiple	1 piece

Container Information

Gross Volume	0.085 m ³
--------------	----------------------

Dimensions

Product Net Height	549 mm
Product Net Length	245 mm
Product Net Weight	11 kg
Product Net Width	213 mm

Technical

Enclosure Class	IP54
Frequency (f)	50/60 Hz
Input Voltage (U _{in})	208 ... 240 V
Mounting Type	Wall Mounting
Number of Phases	3
Technical Information	Following options are available only as loose options. Please add them separately to shopping cart.

3AUA0000002040 OREL-01 ACS 550 Relay Output Extension+L511
64606891 RDNA-01 DeviceNet +K451
64606883 RLON-01 Lonworks +K452
64606859 RPBA-01 PROFIBUS-DP +K454
64751727 RETA-01 Ethernet (Modbus TCP, EtherNet/IP) +K466
68840830 RETA-02 Ethernet (Modbus TCP, PROFINET)+K467

Communication Protocol	MODBUS LON DeviceNet PROFIBUS CAN EtherNet/IP PROFINET IO TCP/IP Other Bus Systems
------------------------	--

Additional Information

Product Main Type	ACS550
Product Name	FREQUENCY CONVERTER

Classifications

Product Series	ACS550-01
ETIM 7	EC001857 - Frequency converter =< 1 kV

Categories

Drives → Low Voltage AC Drives → General Purpose Drives → ACS550-01 - Wall-mounted drive

