

---

PRODUCT-DETAILS

# ACS310-03E-26A8-2

## ACS310-03E-26A8-2 Pn 5,5, I2n 26,8A IP20




---

### General Information

Global Commercial Alias	ACS310-03E-26A8-2
Product ID	3AUA0000039622
ABB Type Designation	ACS310-03E-26A8-2
EAN	6410038785680
Catalog Description	ACS310-03E-26A8-2 Pn 5,5, I2n 26,8A IP20
Long Description	The ACS310 drives are designed for squared torque applications such as booster pumps and supply and return fans. The drive includes a powerful and beneficial set of features designed for pump and fan applications. These features include built-in PID controllers and pump and fan control (PFC) that varies the drive's performance in response to changes in pressure, flow or other external data.

---

### Complete Drive Module Efficiency (61800-9-2)

---

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	113 W	1.1 %	83.3 %
0 / 50 %	149 W	1.4 %	88.0 %
0 / 100 %	270 W	2.5 %	89.0 %
50 / 25 %	121 W	1.1 %	90.7 %
50 / 50 %	165 W	1.5 %	93.2 %
50 / 100 %	307 W	2.9 %	93.7 %
90 / 50 %	189 W	1.8 %	95.6 %
90 / 100 %	365 W	3.4 %	95.7 %

## Ordering

Customs Tariff Number	85044084
EAN	6410038785680
Quote Only	No
Made To Order	No
Selling Unit of Measure	piece
Minimum Order Quantity	1 piece
Order Multiple	1 piece

## Dimensions

Product Net Height	344 mm
Product Net Length	217 mm
Product Net Weight	3.6 kg
Product Net Width	226 mm

## Technical

Enclosure Class	IP20
Frequency (f)	50/60 Hz
Input Voltage ( $U_{in}$ )	200 ... 240 V
Mounting Type	Module for cabinet building
Number of Phases	3
Communication Protocol	MODBUS

## Additional Information

Product Main Type	ACS310
Product Name	Frequency converter

## Classifications

Product Series	ACS310
ETIM 7	EC001857 - Frequency converter =< 1 kV

---

## Categories

---

Drives → Low Voltage AC Drives → General Purpose Drives → ACS310 - Drive module for pumps and fans

