

---

PRODUCT-DETAILS

# ACS310-03E-02A1-4

## ACS310-03E-02A1-4 Pn 0,55, I2n 2,1A IP20




---

### General Information

Global Commercial Alias	ACS310-03E-02A1-4
Product ID	3AUA0000039626
ABB Type Designation	ACS310-03E-02A1-4
EAN	6410038785727
Catalog Description	ACS310-03E-02A1-4 Pn 0,55, I2n 2,1A IP20
Long Description	The ACS310 drives are designed for squared torque applications such as booster pumps and supply and return fans. The drive includes a powerful and beneficial set of features designed for pump and fan applications. These features include built-in PID controllers and pump and fan control (PFC) that varies the drive's performance in response to changes in pressure, flow or other external data.

---

### Complete Drive Module Efficiency (61800-9-2)

---

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	19 W	1.3 %	80.1 %
0 / 50 %	21 W	1.4 %	87.7 %
0 / 100 %	25 W	1.7 %	91.8 %
50 / 25 %	20 W	1.4 %	89.1 %
50 / 50 %	22 W	1.5 %	93.5 %
50 / 100 %	26 W	1.8 %	95.6 %
90 / 50 %	23 W	1.6 %	96.1 %
90 / 100 %	28 W	2.0 %	97.3 %

## Ordering

Customs Tariff Number	85044084
EAN	6410038785727
Quote Only	No
Made To Order	No
Selling Unit of Measure	piece
Minimum Order Quantity	1 piece
Order Multiple	1 piece

## Dimensions

Product Net Height	344 mm
Product Net Length	217 mm
Product Net Weight	1.7 kg
Product Net Width	132 mm

## Technical

Enclosure Class	IP20
Frequency (f)	50/60 Hz
Input Voltage ( $U_{in}$ )	380 ... 480 V
Mounting Type	Module for cabinet building
Number of Phases	3
Communication Protocol	MODBUS

## Additional Information

Product Main Type	ACS310
Product Name	Frequency converter

## Classifications

Product Series	ACS310
ETIM 7	EC001857 - Frequency converter =< 1 kV

---

## Categories

---

Drives → Low Voltage AC Drives → General Purpose Drives → ACS310 - Drive module for pumps and fans

