

PRODUCT-DETAILS

ACS355-03E-17A6-2+B063

ACS355-03E-17A6-2+B063 Pn 4, I2n 17,6A IP66.ECN 3A225K



General Information	
Global Commercial Alias	ACS355-03E-17A6-2+B063
Product ID	3AUA0000058155
ABB Type Designation	AC\$355-03E-17A6-2+B063
EAN	6438177224389
Catalog Description	ACS355-03E-17A6-2+B063 Pn 4, I2n 17,6A IP66.ECN 3A225K
Long Description	The ACS355 drives are designed to meet the requirements of an extensive range of machinery applications in food and beverage, material handling, lifting, textile, printing, rubber and plastics, and woodworking applications. The drive is user-friendly, yet it provides a wide range of built-in technology such as the safe torque off functionality and sequence programming, reducing the need for additional control electronics. The product offers options and diverse functionality to cater to the needs set for speed and torque control of AC induction and permanent magnet motors.

Ordering		
Customs Tariff Number	85044084	
EAN	6438177224389	
Replaced Product ID (OLD)	3AUA0000039711	
Quote Only	No	
Made To Order	No	
Selling Unit of Measure	piece	
Minimum Order Quantity	1 piece	
Order Multiple	1 piece	

Dimensions		
Product Net Height	477 mm	
Product Net Length	277 mm	
Product Net Weight	13.7 kg	
Product Net Width	246 mm	

Technical		
Enclosure Class	IP66	
Frequency (f)	50/60 Hz	
Input Voltage (U _{in})	200 240 V	
Mounting Type	Module for cabinet building	
Number of Phases	3	

Product Main Type	ACS355 IP66
Product Name	Frequency converte
Product Name	Frequency conve
Classifications	

Where Used (as part of "kit")			
Identifier	Description	Туре	
	ACS355-03E-17A6-2+B063 Solar Pump D;		
3AUA0000157206	ACS355-03E-17A6-2+B063 Pn 3kW, I2n 17,6A	Kit	
	IP66 Solar Pump Drive		

Categories

 $\mathsf{Drives} \to \mathsf{Low}\,\mathsf{Voltage}\,\mathsf{AC}\,\mathsf{Drives} \to \mathsf{Machinery}\,\mathsf{Drives} \to \mathsf{ACS355}\,\mathsf{-}\,\mathsf{Machinery}\,\mathsf{Drive}$









ACS355-03E-17A6-2+B063



