

PRODUCT-DETAILS

ACS355-03E-01A9-4+B063

ACS355-03E-01A9-4+B063 Pn 0,55, I2n 1,9A IP66.



General Information	
Global Commercial Alias	ACS355-03E-01A9-4+B063
Product ID	3AUA0000058157
ABB Type Designation	ACS355-03E-01A9-4+B063
EAN	6438177224402
Catalog Description	ACS355-03E-01A9-4+B063 Pn 0,55, I2n 1,9A IP66.
Long Description	The ACS355 drives are designed to meet the requirements of an extensive range of machinery applications in food and beverage, material handling, lifting, textile, printing, rubber and plastics, and woodworking applications. The drive is user-friendly, yet it provides a wide range of built-in technology such as the safe torque off functionality and sequence programming, reducing the need for additional control electronics. The product offers options and diverse functionality to cater to the needs set for speed and torque control of AC induction and permanent magnet motors.

Ordering		
Customs Tariff Number	85044084	
EAN	6438177224402	
Replaced Product ID (OLD)	3AUA0000039713	
Quote Only	No	
Made To Order	No	
Selling Unit of Measure	piece	
Minimum Order Quantity	1 piece	
Order Multiple	1 piece	

Dimensions		
Product Net Height	346 mm	
Product Net Length	281 mm	
Product Net Weight	8.4 kg	
Product Net Width	195 mm	

Technical	
Enclosure Class	IP66
Frequency (f)	50/60 Hz
Input Voltage (U _{in})	380 480 V
Mounting Type	Module for cabinet building
Number of Phases	3
Communication Protocol	MODBUS
	LON
	DeviceNet
	PROFIBUS
	CAN
	EtherNet/IP
	PROFINET IO
	TCP/IP
	Other Bus Systems

Additional Information		
ACS355 IP66		
Frequency converter		
ACS355		

Where Used (as part of "kit")			
Identifier	Description	Туре	
	ACS355-03E-01A9-4+B063 Solar Pump D;		
3AUA0000157207	ACS355-03E-01A9-4+B063 Pn 0,37kW, I2n	Kit	
	1,9A IP66 Solar Pump Drive		

Categories

 $\mathsf{Drives} \to \mathsf{Low}\,\mathsf{Voltage}\,\mathsf{AC}\,\mathsf{Drives} \to \mathsf{Machinery}\,\mathsf{Drives} \to \mathsf{ACS355}\,\mathsf{-}\,\mathsf{Machinery}\,\mathsf{Drive}$

ACS355-03E-01A9-4+B063











