

PRODUCT-DETAILS

# ACH580-01-04A7-2+B056

# ACH580-01-04A7-2 Pn 0,75 kW, I2n 4,7 A, Protection class IP55, EMC class C2



General Information	
Global Commercial Alias	ACH580-01-04A7-2+B056
Product ID	3AXD50000417797
ABB Type Designation	ACH580-01-04A7-2+B056
EAN	6438177591610
Catalog Description	ACH580-01-04A7-2 Pn 0,75 kW, I2n 4,7 A, Protection class IP55, EMC class C2
Long Description	ACH580 HVAC drive offering has all key features built-in to control fans, pumps and compressors, and more complex equipment like air-handling units and chillers, ensuring smooth, energy-efficient operation of your HVAC systems in normal and mission-critical situations. The built-in features significantly reduce installation time and the intuitive control panel with an HVAC-specific primary settings menu and help assistants makes startup, commissioning and operation easy. The optional Bluetooth <sup>6</sup> capability enables the commissioning and monitoring of the drive from a distance. The ACH580-01 comes in IP21 enclosure and can be installed on the wall as standard. Also, IP55 and flange mounting units are available.

**Complete Drive Module Efficiency (61800-9-2)** 

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	32 W	1.7 %	75.6 %
0 / 50 %	35 W	1.9 %	84.6 %
0 / 100 %	42 W	2.2 %	89.4 %
50 / 25 %	33 W	1.8 %	86.2 %
50 / 50 %	37 W	2.0 %	91.5 %
50 / 100 %	46 W	2.5 %	94.2 %
90 / 50 %	40 W	2.1 %	94.7 %
90 / 100 %	53 W	2.8 %	96.2 %

Ordering	

Customs Tariff Number	85044084
EAN	6438177591610
Quote Only	No
Made To Order	No
Selling Unit of Measure	piece
Minimum Order Quantity	1 piece
Order Multiple	1 piece

#### **Dimensions**

Product Net Height	403 mm
Product Net Length	233 mm
Product Net Weight	4.8 kg
Product Net Width	128 mm

## Technical

Frequency (f)	50/60 Hz
Input Voltage (U <sub>in</sub> )	200 240 V
Number of Phases	3
Communication Protocol	BACNET
	MODBUS
	LON
	DeviceNet
	PROFIBUS
	CAN
	EtherNet/IP
	PROFINET IO
	TCP/IP
	Other Bus Systems

#### Additional Information

Product Name	Frequency converter

$\sim$ 1		٠.	•
C	ccit	1621	tions
CIG	.3311	ıvaı	

|--|

ACH580-01-04A7-2+B056

## Categories

 $Drives \rightarrow Low\ Voltage\ AC\ Drives \rightarrow Industry-Specific\ Drives \rightarrow Drives\ for\ HVAC \rightarrow ACH580-01\ -\ Wall-mounted\ drive\ for\ HVAC \rightarrow ACH580-01\ -\ Wall-mounted\ driv$ 











