

PRODUCT-DETAILS

3BSE089959R1

Engineering System small 6.1



General Information	
Product ID	3BSE089959R1
ABB Type Designation	800xA 6.1
Catalog Description	Engineering System small 6.1

An engineering system which only can run in engineering mode. System Small works up to 5 engineering clients.

License include: Base system 120,000 tags singular/redundant 120,000 tags multisystem integration subscriber/provider Multi System Provider Connections, 10 Load evaluate go, Softpoint server, Point of control Snapshot reports

AC 800M Connect, PLC Connect, PLC Connect Dial-up, AC400 Connect Harmony Connect, Melody Connect, MOD 300 Connect Safeguard Connect, DCI Connect, Freelance 800F Connect, AC100 Connect

Advant Master Central Backup 800xA OPC Client Connection, 10 OLE-DB Real Time Data-Client Connection, 10 IEC 61850 Conenctivity, 1 200 IEDs (singular or redundant servers) Audit Trail, Advanced Access Control, Digital Signature SMS & Email Messaging, 800xA Event Forwarder, Calculation Engine

> Operator Clients, 80 Large Operator Cleints, 39 EOW-x2 Operator Workplace, 25 EOW-x3 Operator Workplace, 17 Alarm Management, Alarm History & Reports

> > CAD Viewer, 79 PG2 Symbol Factory Video Clients, 1 Video input channels, 1 Smart Client Workplace, 100 Public Adress output channels, 20 Public Adress languanges, 10

> > > cpmPlus Platform ECS Maximo plug-in ECS SAP plug-in

History Signals, 150 000 Dual History Signals, 150 000 Data Access to Signals, 150 000 Soft Controller, 75 UDP Communication Library, 100 TCP Communication Library, 100 Burner Management Library, for 100 CPUs

> INFI90 Function Code Library MOD 300 CCF Library for AC 800M

Substation operation Library AC 800M High Integrity and Process Control, 5 Engineering Workplaces (incl. Control Builder M, Function Designer, Loop Check Tool & Bulk Data Manager, 5 Application Change Management, (incl SQL Srv), 50 000 Graphics Builder, 5 Script Manager Professional, 5 Reuse Assistant, 5 Library Assistant, 5 Asset Monitors, 10 000 PC, Network, Software Monitoring, 2 000 tags

> Maximo integration SAP integration SAP / Plant Maintenance Integration Advanced Harmony Control System Monitoring CLAM Asset monitor, 500 Generic Heat Exchanger Asset Monitor, 20 Shell and Tube Heat Exchanger Asset Monitor, 20

HART Device Integration, 10 000 HART Multiplexer Connect Fieldbus Builder HART, 1 Foundation Fieldbus Device Integration, 10 000 Fieldbus Builder Foundation Fieldbus, 1

Long Description

Profibus Device Integration, 10 000 Fieldbus Builder Profibus, 1

Process Control Device Library, 12 000 PCDeviceLib App Engineering License, 12 000 Process Control Equipment Library With production management, 100 Process Control Equipment Library Without production management, 99 ProBase Software License, for 75 CPUs of any type Licenses for AC 800M Controllers and Communication interfaces, 50 of each

Additional Information **Medium Description** An engineering system which only can run in engineering mode. System Small works up to 5 engineering clients. License include: Base system 120,000 tags singular/redundant 120,000 tags multisystem integration subscriber/provider Multi System Provider Connections, 10 Load evaluate go, Softpoint server, Point of control Snapshot reports AC 800M Connect, PLC Connect, PLC Connect Dial-up, AC400 Connect Harmony Connect, Melody Connect, MOD 300 Connect Safeguard Connect, DCI Connect, Freelance 800F Connect, AC100 Connect Advant Master Central Backup 800xA OPC Client Connection, 10 OLE-DB Real Time Data-Client Connection, 10 IEC 61850 Conenctivity, 1 200 IEDs (singular or redundant servers) Audit Trail, Advanced Access Control, Digital Signature SMS & Email Messaging, 800xA Event Forwarder, Calculation Engine Operator Clients, 80 Large Operator Cleints, 39 EOW-x2 Operator Workplace, 25 EOW-x3 Operator Workplace, 17 Alarm Management, Alarm History & Reports CAD Viewer, 79 PG2 Symbol Factory Video Clients, 1 Video input channels, 1 Smart Client Workplace, 100 Public Adress output channels, 20 Public Adress languanges, 10 cpmPlus Platform ECS Maximo plug-in ECS SAP plug-in History Signals, 150 000 Dual History Signals, 150 000 Data Access to Signals, 150 000 Soft Controller, 75 UDP Communication Library, 100 TCP Communication Library, 100 Burner Management Library, for 100 CPUs INFI90 Function Code Library MOD 300 CCF Library for AC 800M Substation operation Library AC 800M High Integrity and Process Control, 5 Engineering Workplaces (incl. Control Builder M, Function Designer, Loop Check Tool & Bulk Data Manager, 5 Application Change Management, (incl SQL Srv), 50 000 Graphics Builder, 5 Script Manager Professional, 5 Reuse Assistant, 5 Library Assistant, 5 Asset Monitors, 10 000 PC, Network, Software Monitoring, 2 000 tags Maximo integration SAP integration SAP / Plant Maintenance Integration Advanced Harmony Control System Monitoring CLAM Asset monitor, 500 Generic Heat Exchanger Asset Monitor, 20 Shell and Tube Heat Exchanger Asset Monitor, 20 HART Device Integration, 10 000 HART Multiplexer Connect Fieldbus Builder HART, 1 Foundation Fieldbus Device Integration, 10 000 Fieldbus Builder Foundation Fieldbus, 1 Profibus Device Integration, 10 000 Fieldbus Builder Profibus, 1 Process Control Device Library, 12 000 PCDeviceLib App Engineering License, 12 000 Process Control Equipment Library With production management, 100 Process Control Equipment Library Without production management, 99 ProBase Software License, for 75 CPUs of any type Licenses for AC 800M Controllers and Communication interfaces, 50 of each Licenses

Product Type

Ordering	
Country of Origin	Sweden (SE) United States (US)
HS Code	490199 Printed books, brochures, leaflets and similar printed matter, whether or not in single sheets Other : Other
Customs Tariff Number	99999999
Dimensions	
Product Net Weight	0.001 kg

Environmental

	No declaration needed
WEEE Category	Product Not in WEEE Scope

Categories

Control System Products \rightarrow Systems \rightarrow ABB Ability System 800xA \rightarrow System 800xA - Engineering Systems \rightarrow Engineering System small 6.1

Control Systems \rightarrow 800xA \rightarrow Engineering \rightarrow 800xA Engineering

