


PRODUCT-DETAILS

3GAA063311-ASF

No Description Available



General Information

Product ID	3GAA063311-ASF
ABB Type Designation	M3AA 63A 6
Catalog Description	No Description Available

Additional Information

ABB Type Designation	M3AA 63A 6
Bearing	6201-2Z/C3
Bearing NDE	6201-2Z/C3
Country of Origin	China (CN)
Customs Tariff Number	85015100

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	400 V	0.09 kW	890 r/min	0.41 A	0.620	50.70 %	0.96 N·m	2.80
D	--	50 Hz	230 V	0.09 kW	890 r/min	0.71 A	0.620	50.70 %	0.96 N·m	2.80
Y	--	60 Hz	460 V	0.09 kW	1110 r/min	0.38 A	0.550	53.40 %	0.76 N·m	3.20

Gross Weight	7.2 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class NA Full Load (100%) 50.7 % Partial Load (75%) 48.5 % Partial Load (50%) 42.0 %

IE Class Data (60 Hz)

IE Class NA
 Full Load (100%) 53.4 %
 Partial Load (75%) 48.9 %
 Partial Load (50%) 40.6 %

IM Class	IMB3 IM1001
IP Class	IP55
Insulation Class	ICLF
Made To Order	No
Minimum Order Quantity	1 piece
Number of Poles (High)	6
Order Multiple	1 piece
Package Level 1 Units	0 carton
Product Name	3-Phase squirrel cage motor
Product Net Weight	4.2 kg
Product Type	3AA2_M3AA_IE2_AA
Quote Only	No
Replaced Product ID (OLD)	3GAA063001-ASE 3GAA063311-ASE 3GAA063311-ASC
Selling Unit of Measure	piece
Stocked At (Warehouses)	Menden, Germany Sant Quirze del Vallés - BCN, Spain
Temperature Class Default	--
Terminator Box Location	D-End top
Two Speed Motor	No
UNSPSC	26101100
Voltage Code	S

Categories

Motors and Generators → IEC Low Voltage AC Motors → Process Performance Motors → IE2 High Efficiency Aluminum Motors

