

PRODUCT-DETAILS

# A1202P2 20EG

## PUNCHED CHNL BK-BK 12GA 20FT EG STL



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | A1202P2 20EG   |
| Product ID            | 7TAA005250R0004  |
| EAN                   | 0616013125458  |
| Catalog Description   | PUNCHED CHNL BK-BK 12GA 20FT EG STL  |
| Long Description      | Channel, 12 Gauge, 1-5/8 Inch x 1-5/8 Inch, Length 20 Feet, Punched on Sides Electro-Galvanized Steel with 9/16 Inch Holes on 1-7/8 Inch Centers, Back to Back Combination |

### Ordering

|                         |                    |
|-------------------------|--------------------|
| EAN                     | 0616013125458      |
| UPC                     | 616013125458       |
| Country of Origin       | United States (US) |
| Customs Tariff Number   | 7326908688         |
| Selling Unit of Measure | foot               |

### Container Information

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 20 ft             |
| Package Level 1 Width          | 1.63 in<br>41 mm  |
| Package Level 1 Height         | 3.26 in<br>83 mm  |
| Package Level 1 Depth / Length | 240 in<br>6096 mm |

|                                |                   |
|--------------------------------|-------------------|
| Package Level 2 Units          | 240 ft            |
| Package Level 2 Width          | 9.5 in<br>241 mm  |
| Package Level 2 Height         | 8.5 in<br>216 mm  |
| Package Level 2 Depth / Length | 240 in<br>6096 mm |

### Additional Information

|                     |   |
|---------------------|---|
| Application         | Support and framing applications  |
| Brand / Label       | Superstrut  |
| Effective Date      | 20120619  |
| Entrance Size       | 9/16 in   |
| Gauge               | 12 gauge  |
| Material            | Steel   |
| Number of Batteries | 0   |
| Product Name        | ELECTRICAL STEEL CHANNEL  |
| Product Type        | Metal Channels  |
| Special Functions   | Designed so that the maximum number of support and framing applications can be constructed with a minimum amount of labor and pieces. |
| Surface Finishing   | SilverGalv/Electro-Galvanized   |

### Certificates and Declarations (Document Number)

|                                   |              |
|-----------------------------------|--------------|
| Data Sheet, Technical Information | A1202P2 20EG |
| Instructions and Manuals          | A1202P2 20EG |

### Classifications

|                                    |                                   |
|------------------------------------|-----------------------------------|
| ETIM 6                             | EC000386 - Support/profile rail   |
| ETIM 7                             | EC000386 - Support/profile rail   |
| ETIM 8                             | EC000386 - Mounting rail/-profile |
| UNSPSC                             | 30101804                          |
| WEEE Category                      | Product Not in WEEE Scope         |
| IDEA Granular Category Code (IGCC) | 2577 >> Steel channels            |

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Metal Framing & Accessories

