

PRODUCT-DETAILS

### **A1200P 20PG**

## PUNCHED CHNL 12GA 20FT PG STL



| General Information   |  |  |
|-----------------------|--|--|
| Extended Product Type | A1200P 20PG  |  |
| Product ID            | 7TAA005460R0072  |  |
| EAN                   | 0616013100486  |  |
| Catalog Description   | PUNCHED CHNL 12GA 20FT PG STL  |  |
| Long Description      | Channel, 12 Gauge, 1-5/8 Inch x 1-5/8 Inch, Length 20 Feet, Punched Pre-Galvanized<br>Steel with 9/16 Inch Holes on 1-7/8 Inch Centers |  |

| Ordering           |  |
|--------------------|--|
| 0616013100486      |  |
| 616013100486       |  |
| United States (US) |  |
| 7326908688         |  |
| foot               |  |
|                    |  |

| Dimensions                 |          |
|----------------------------|----------|
| Product Net Width          | 1-5/8 in |
| Product Net Depth / Length | 20 ft    |

#### **Container Information**

| Package Level 1 Units   | 20 ft    |
|-------------------------|----------|
| Package Level 1 Width   | 1.625 in |
|                         | 41 mm    |
| Package Level 1 Height  | 1.625 in |
|                         | 41 mm    |
| Package Level 1 Depth / | 240 in   |
| Length                  | 6096 mm  |
| Package Level 2 Units   | 500 ft   |
| Package Level 2 Width   | 10.25 in |
|                         | 260 mm   |
| Package Level 2 Height  | 6.75 in  |
|                         | 171 mm   |
| Package Level 2 Depth / | 240 in   |
| Length                  | 6096 mm  |

| Additional Information |   |
|------------------------|---|
| Application            | Support and framing applications  |
| Brand / Label          | Superstrut  |
| Effective Date         | 19991101  |
| Entrance Size          | 9/16 in   |
| Gauge                  | 12 gauge  |
| Material               | Steel   |
| Number of Batteries    | 0   |
| Product Name           | SUPERSTRUT CHANNEL & ACCES  |
| Product Type           | Metal Channels  |
| Special Functions      | Designed so that the maximum number of support and framing applications can be constructed with a minimum amount of labor and pieces. |
| Surface Finishing      | Pre-Galvanized  |

# Certificates and Declarations (Document Number) Data Sheet, Technical

Data Sheet, Technical A1200P 20PG Information Instructions and A1200P 20PG

Manuals Alzoop zop

### Classifications

| ETIM 6                                | EC000386 - Support/profile rail   |
|---------------------------------------|-----------------------------------|
| ETIM 7                                | EC000386 - Support/profile rail   |
| ETIM 8                                | EC000386 - Mounting rail/-profile |
| UNSPSC                                | 30101804                          |
| WEEE Category                         | Product Not in WEEE Scope         |
| IDEA Granular Category<br>Code (IGCC) | 2577 >> Steel channels            |

### Categories

A1200P 20PG 3

