

PRODUCT-DETAILS

A1200HS 2'10"T316SS CHANNEL 34 INCH STAINLESS STEEL



General Information	
Extended Product Type	A1200HS 2'10"T316SS
Product ID	7TAA005980R0121
EAN	0616013108956
Catalog Description	CHANNEL 34 INCH STAINLESS STEEL
Long Description	Channel, 12 Gauge, 1-5/8 Inch x 1-5/8 Inch, Length 2 Feet 10 Inches, Half Slotted Type 316 Stainless Steel with 9/16 Inch x 1-1/8 Inch Slots on 2 Inch Centers

Ordering	
EAN	0616013108956
UPC	616013108956
Country of Origin	United States (US)
Customs Tariff Number	7326908688
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	1.63 in
	41 mm
Package Level 1 Height	1.63 in
	41 mm
Package Level 1 Depth /	22 in
Length	559 mm

A1200HS 2'10"T316SS

Package Level 2 Units	50 piece
Package Level 2 Width	10.25 in
	260 mm
Package Level 2 Height	10.5 in
	267 mm
Package Level 2 Depth /	22 in
Length	559 mm

Additional Information

Application	Used to mount, brace, support or connect structural loads in building construction such as pipe or electrical or data wire
Brand / Label	Superstrut
Effective Date	20031023
Entrance Size	9/16 in
Gauge	12 gauge
Material	Stainless Steel
Number of Batteries	0
Product Name	STAINLESS STEEL CHANNEL
Product Type	Metal Channels
Special Functions	Designed so that the maximum number of support and framing applications can be constructed with a minimum amount of labor and pieces.

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	A1200HS 2'10	
Instructions and Manuals	A1200HS 2'10	
Classifications		
Classifications		
ETIM 6	EC000386 - Support/profile rail	
	EC000386 - Support/profile rail EC000386 - Support/profile rail	

Categories

UNSPSC

WEEE Category

Code (IGCC)

IDEA Granular Category

 ${\sf Low \ Voltage \ Products \ and \ Systems \ \rightarrow \ Installation \ Products \ \rightarrow \ Wire \ Management \ and \ Connectivity \ \rightarrow \ Metal \ Framing \ \& \ Accessories \ Accesso$

30101805

Product Not in WEEE Scope

2578 >> Stainless steel channels

A1200HS 2'10"T316SS

