

PRODUCT-DETAILS

9333-NB

NBP 3/4 in. Strt, M25 Thread



General Information

Extended Product Type	9333-NB
Product ID	7TAA012NB0R0002
EAN	5415022502329
Catalog Description	NBP 3/4 in. Strt, M25 Thread
Long Description	Liquid-tight Straight Fitting, Trade Size 3/4 Inch, M25 Thread, Nickel Plated Brass

Ordering

EAN	5415022502329
UPC	786210148649
Country of Origin	Turkey (TR)
Customs Tariff Number	8547900030
Selling Unit of Measure	each

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	10 in 254 mm
Package Level 1 Height	6.5 in 165 mm
Package Level 1 Depth / Length	0.01 in 0.25 mm
Package Level 2 Units	30 piece

Package Level 2 Width	15.75 in 400 mm
Package Level 2 Height	11 in 279 mm
Package Level 2 Depth / Length	4 in 102 mm

Additional Information

Brand / Label	T&B Liquidtight Fittings
Color	Metallic
Effective Date	20181221
Material	Nickel Plated Brass
Number of Batteries	0
Product Name	insulated fitting for conduit
Product Type	Straight Liquid-tight Conduit Fitting
Size	3/4 Inch ; M25 Thread
Standards	UL E23018 ; IEC/EN 61386-1, -23
Temperature Range	UL: -4 to 221 °F

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000127
Declaration of Conformity - CE	9AKK107492A9908
Instructions and Manuals	9333-NB

Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

