

PRODUCT-DETAILS

9P54U2T/1100

50A PLG 3P4W DG U2 3P250V TUV 1.1IN



General Information

Extended Product Type	9P54U2T/1100
Product ID	7TAA057180R0002
EAN	5415022443707
Catalog Description	50A PLG 3P4W DG U2 3P250V TUV 1.1IN
Long Description	DuraGard 50 Amp, 30 250V Male Plug

Ordering

EAN	5415022443707
UPC	708917310587
Country of Origin	Mexico (MX)
Customs Tariff Number	8536908585
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	2.5 in 64 mm
Package Level 1 Height	2.5 in 64 mm
Package Level 1 Depth / Length	7.5 in 191 mm
Package Level 2 Units	50 piece

Package Level 2 Width	13.4 in 340 mm
Package Level 2 Height	16.5 in 419 mm
Package Level 2 Depth / Length	13.7 in 348 mm

Additional Information

Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Current Rating	50 A
Effective Date	20040826
Material	DuraV
Number of Batteries	0
Number of Conductors	4
Number of Poles	3
Product Name	ELECTRICAL CONNECTOR
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight"; Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."
Voltage Rating	250 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9P54U2T/1100
Instructions and Manuals	9P54U2T/1100

Classifications

ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

