

PRODUCT-DETAILS

9C54U2T

50A,CON,3P4W,DG,U2,3P250V,TUV



General Information

Extended Product Type	9C54U2T
Product ID	7TAA057190R0004
EAN	5415022252590
Catalog Description	50A,CON,3P4W,DG,U2,3P250V,TUV
Long Description	DuraGard 50 Amp Female Connector, 30 250V, TUV

Ordering

EAN	5415022252590
UPC	708917302582
Country of Origin	Mexico (MX)
Customs Tariff Number	8536908585
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	2.5 in 64 mm
Package Level 1 Height	2.5 in 64 mm
Package Level 1 Depth / Length	7.5 in 191 mm
Package Level 2 Units	50 piece

Package Level 2 Width	13 in 330 mm
Package Level 2 Height	16 in 406 mm
Package Level 2 Depth / Length	13 in 330 mm

Additional Information

Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Current Rating	50 A
Effective Date	20001107
Material	DuraV
Number of Batteries	0
Number of Conductors	4
Number of Poles	3
Product Name	ELECTRICAL CONNECTOR
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight"; Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."
Voltage Rating	250 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9C54U2T
Instructions and Manuals	9C54U2T

Classifications

ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

