

PRODUCT-DETAILS

# 9P63U2T

60A,PLG,2P3W,DG,U2,250V,SC,TUV



## General Information

Extended Product Type	9P63U2T
Product ID	7TAA057200R0017
EAN	5415022433524
Catalog Description	60A,PLG,2P3W,DG,U2,250V,SC,TUV
Long Description	DuraGard 60 Amp, 250V Male Plug

## Ordering

EAN	5415022433524
UPC	708917305323
Country of Origin	United States (US)
Customs Tariff Number	8536694020
Selling Unit of Measure	each

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	2.5 in 64 mm
Package Level 1 Height	2 in 51 mm
Package Level 1 Depth / Length	7.5 in 191 mm
Package Level 2 Units	50 piece

Package Level 2 Width	13 in 330 mm
Package Level 2 Height	13 in 330 mm
Package Level 2 Depth / Length	16 in 406 mm

### Additional Information

Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Current Rating	60 A
Effective Date	20020304
Material	DuraV
Number of Batteries	0
Number of Conductors	3
Number of Poles	2
Product Name	CYLINDRICAL MULTICONTACT CONNECTOR
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight"; Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."
Voltage Rating	250 V

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9P63U2T
Instructions and Manuals	9P63U2T

### Classifications

ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

