

PRODUCT-DETAILS

8003N

10A,REC,2P3W,SE,600VAC



General Information

Extended Product Type	8003N
Product ID	7TAA057520R0001
EAN	5415022252583
Catalog Description	10A,REC,2P3W,SE,600VAC
Long Description	Ever-Lok 20 Amp Female Receptacle only with Flap Cover, 2 Pole 3 Wire, 600V, Nickel-plated neutral pin replace

Ordering

EAN	5415022252583
UPC	708917199373
Country of Origin	United States (US)
Customs Tariff Number	8536694020
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	2.87 in 73 mm
Package Level 1 Height	5.75 in 146 mm
Package Level 1 Depth / Length	2.87 in 73 mm

Package Level 2 Units	50 piece
Package Level 2 Width	13 in 330 mm
Package Level 2 Height	16 in 406 mm
Package Level 2 Depth / Length	13 in 330 mm

Additional Information

Application	General Industrial: Lighting Connections, Indoor Welding Stations, Machinery/Tool Connections, Power Distributions Panels, Convenience Power, Battery Charging Equipment
Brand / Label	Russellstoll
Current Rating	10 A
Effective Date	19960411
Material	Heavy gauge steel plated receptacle housing
Number of Batteries	0
Number of Conductors	3
Number of Poles	2
Product Name	RUSSELLSTOLL
Product Type	DuraTite & Ever-Lok Locking Connections
Special Functions	Automatic Locking; Positive Grounding by means of phosphor-bronze ground straps; Dust Proof
Voltage Rating	600 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	8003N
Instructions and Manuals	8003N

Classifications

ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

