

PRODUCT-DETAILS

8023N

20A,CON,2P3W,SE,125VAC



General Information

Extended Product Type	8023N
Product ID	7TAA057520R0010
EAN	0708917173229
Catalog Description	20A,CON,2P3W,SE,125VAC
Long Description	Ever-Lok Clamp Type Connector 20 Amp, 2 Pole 3 Wire, SE, 125VAC, 1/2 inch Max Cable Rating, Nickel-plated neutral pin replace

Ordering

EAN	0708917173229
UPC	708917173229
Country of Origin	Mexico (MX)
Customs Tariff Number	8536908585
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	2 in 51 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth / Length	2 in 51 mm

Package Level 2 Units	100 piece
Package Level 2 Width	8 in 203 mm
Package Level 2 Height	15 in 381 mm
Package Level 2 Depth / Length	8 in 203 mm

Additional Information

Application	General Industrial: Lighting Connections, Indoor Welding Stations, Machinery/Tool Connections, Power Distributions Panels, Convenience Power, Battery Charging Equipment
Brand / Label	Russellstoll
Current Rating	20 A
Effective Date	19960411
Material	Heavy gauge steel plated receptacle housing
Number of Batteries	0
Number of Conductors	3
Number of Poles	2
Product Name	ELECTRICAL CONNECTOR
Product Type	DuraTite & Ever-Lok Locking Connections
Special Functions	Automatic Locking; Positive Grounding by means of phosphor-bronze ground straps; Dust Proof
Voltage Rating	125 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	8023N
Instructions and Manuals	8023N

Classifications

ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

