

PRODUCT-DETAILS

8593U1CT

20A,PLG,2P3W,SE,U1,125V,HUBCLAMP



General Information

Extended Product Type	8593U1CT
Product ID	7TAA057530R0038
EAN	0708917135098
Catalog Description	20A,PLG,2P3W,SE,U1,125V,HUBCLAMP
Long Description	Ever-Lok Plug, 20 Amp, 125V, 2 Pole 3 Wire, Hub Clamp

Ordering

EAN	0708917135098
UPC	708917135098
Country of Origin	Mexico (MX)
Customs Tariff Number	8536908585
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	2.87 in 73 mm
Package Level 1 Height	5.75 in 146 mm
Package Level 1 Depth / Length	2.87 in 73 mm
Package Level 2 Units	36 piece

Package Level 2 Width	5.5 in 140 mm
Package Level 2 Height	19 in 483 mm
Package Level 2 Depth / Length	8.75 in 222 mm

Additional Information

Application	General Industrial: Lighting Connections, Indoor Welding Stations, Machinery/Tool Connections, Power Distributions Panels, Convenience Power, Battery Charging Equipment
Brand / Label	Russellstoll
Current Rating	20 A
Effective Date	19960411
Material	Heavy gauge steel plated receptacle housing
Number of Batteries	0
Number of Conductors	3
Number of Poles	2
Product Name	ELECTRICAL CONNECTOR
Product Type	DuraTite & Ever-Lok Locking Connections
Special Functions	Automatic Locking; Positive Grounding by means of phosphor-bronze ground straps; Dust Proof
Voltage Rating	125 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	8593U1CT
Instructions and Manuals	8593U1CT

Classifications

ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

