

PRODUCT-DETAILS

755CK-J0260

35KV 600A DB CABLE SIZING PACKAGE



General Information

Extended Product Type	755CK-J0260
Product ID	7TAA122070R0057
EAN	0075114371407
Catalog Description	35KV 600A DB CABLE SIZING PACKAGE
Long Description	600 Amp, 35KV, Cam-Op, Size Sensitive Kit, Cable Adapter and Lug. Cable Insulation Diameter 0.980 inch to 1.180 inch. Aluminum Compression Lug. Conductor Size AWG Compressed Stranded 3/0 or Compacted Solid 4/0.

Ordering

EAN	0075114371407
UPC	075114371407
Country of Origin	United States (US)
Customs Tariff Number	8535908020
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	5.12 in 130 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth /	8.25 in

Length	210 mm
--------	--------

Additional Information

Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	600 A
Effective Date	20180504
Environmental Conditions	All Weatheronditions °C
Includes	Elbow Connector Housing, Stick-Op Loadbreak Reducing Tap Plug, Insulated Cap, Cable Size Adapter, Compression Lug, Silicone Lubricant, Instruction Sheet, Crimp Chart
Insulation Material	Yes, EPDM Rubber
Material	Housing - EPDM Rubber
Number of Batteries	0
Product Name	ELECTRICAL CONNECTOR,>1000V
Product Type	Stick-Op Connector Kit
Size	T-Body Width 10.16 inch, T-Body Length Bottom to Centerline 13.93 inch
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	35 kV

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	755CK-J0260
Instructions and Manuals	755CK-J0260

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

