

PRODUCT-DETAILS

# 776LR-Q2410-S

## 35KV 900A DB ELBOW WITH SEALING KIT



### General Information

Extended Product Type	776LR-Q2410-S
Product ID	7TAA122200R0368
EAN	0075114261203
Catalog Description	35KV 900A DB ELBOW WITH SEALING KIT
Long Description	900 Amp, 35KV, DeadBreak Elbow, with Test Point, Cable Insulation Diameter 1.900 inch to 2.120 inch. Copper Compression Lug. Conductor Size Compressed Stranded 1000 kcmil. Cold-Shrinkable Jacket Seal Included.

### Ordering

EAN	0075114261203
UPC	075114261203
Country of Origin	United States (US)
Customs Tariff Number	8535908020
Selling Unit of Measure	each

### Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	3.25 in 83 mm
Package Level 1 Height	3.25 in 83 mm
Package Level 1 Depth /	8.25 in

Length 210 mm

### Additional Information

Application	35 kV, 900 Amps
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	900 A
Effective Date	20150918
Environmental Conditions	All Weatheronditions °C
Includes	1 Elbow Housing, 1 Compression Lug, 1 Stud, 1 Insulated Plug with Cap, 3 Tubes Lubricant, 1 Cable adapter, 1 Crimp Chart, Installation Instruction Sheets, V.D. Cap-Peroxide
Insulation Material	Yes, EPDM Rubber
Material	Housing - EPDM Rubber
Number of Batteries	0
Product Name	ELECTRICAL CONNECTOR,>1000V
Product Type	Deadbreak Elbow Connector with Test Point
Size	12.28 inch Wide, 13.93 inch from bottom edge to Center of Installation O-Ring
Special Functions	Fully Shielded, Fully Submersible Molded Rubber Housing. 100 percent Peroxide-Cured Construction includes Insulation and Conductive EPDM materials. Can be easily connected or disconnected using standard hand tools and equipment in a de-energized state. S - Cold Shrinkable Jacket Seal.
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	35 kV

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	776LR-Q2410-S
Instructions and Manuals	776LR-Q2410-S

### Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

### Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

