

PRODUCT-DETAILS

756LR-K0250-SG3

35KV 600A DB TP ELBOW ASSY K0250SG3



General Information		
Extended Product Type	756LR-K0250-SG3	
Product ID	7TAA122300R0277	
EAN	0075114334945	
Catalog Description	35KV 600A DB TP ELBOW ASSY K0250SG3	
Long Description	35kV 600 Series Deadbreak Elbow with Test Point (with Insulated Plug, Cap, Stud, Lug and Cable Adapter). Aluminum Compression Lug. Cable Insulation Diameter 1.090 inch to 1.310 inch. Conductor Size AWG or kcmil, Compressed Stranded 250 Compacted, Solid 3/0. Cold-Shrinkable Jacket with Copper Braid and Constant Force Spring.	

Ordering	
EAN	0075114334945
UPC	075114334945
Country of Origin	United States (US)
Customs Tariff Number	8535908020
Selling Unit of Measure	each

Container Information		
Package Level 1 Units	1 piece	
Package Level 1 Width	1 in 25 mm	
Package Level 1 Height	1 in 25 mm	

1 in 25 mm Package Level 1 Depth / Length

Additional Information	
Application	35kV, 600 Amps
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	600 A
Effective Date	20170324
Environmental Conditions	Fully Submersible
Includes	1 Elbow Housing, 1 Compression Lug, 1 Stud, 1 Insulated Plug with Cap, 3 Tubes Lubricant, 1 Cable adapter, 1 Crimp Chart, Installation Instruction Sheets, V.D. Cap-Peroxide
Insulation Material	Yes, EPDM Rubber
Material	Housing - EPDM Rubber
Number of Batteries	0
Product Name	35KV DB ELBOW W-SEALING KIT
Product Type	Deadbreak Elbow Connector with Test Point
Size	Width 12.28 inches, 13.93 inches from Bottom Edge to Center of Installation O-Ring.
Special Functions	SG3 Sealing Kit - Cold Shrinkable Seal with Copper Braid and Constant Force Spring.
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	35 kV

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	756LR-K0250-SG3	
Instructions and Manuals	756LR-K0250-SG3	

Classifications	
UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

756LR-K0250-SG3 3

