

PRODUCT-DETAILS

756LR-Q0410-SG3

35KV, 600A ELBOW DB W-SEALING KIT



General Information	
Extended Product Type	756LR-Q0410-SG3
Product ID	7TAA122400R0164
EAN	0075114322959
Catalog Description	35KV, 600A ELBOW DB W-SEALING KIT
Long Description	15/25/35kV, 600 Amp, Deadbreak Elbow, with Test Point (includes Plug, Cap, Stud, Lug and Cable Adapter), Cable Insulation Diameter 1.910-2.120 inches, Aluminum Lug, Conductor Size 1000 kcmils Stranded Compressed, With SG3 Sealing Kit - Cold Shrinkable Seal with Copper Braid and Contant Force Spring.

Ordering	
EAN	0075114322959
UPC	075114322959
Country of Origin	United States (US)
Customs Tariff Number	8535908020
Selling Unit of Measure	each

Container Information		
Package Level 1 Units	1 piece	
Package Level 1 Width	1 in 25 mm	
Package Level 1 Height	1 in 25 mm	

Package Level 1 Depth / 1 in Length 25 mm

Additional Information	
Application	15/25/35kV, 600 Amps
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	600 A
Effective Date	20161028
Environmental Conditions	Fully Submersible
Includes	1 Elbow Housing, 1 Compression Lug, 1 Stud, 1 Insulated Plug with Cap, 3 Tubes Lubricant, 1 Cable adapter, 1 Crimp Chart, Installation Instruction Sheets, V.D. Cap-Peroxide
Insulation Material	Yes, EPDM Rubber
Material	Housing - EPDM Rubber
Number of Batteries	0
Product Name	ELECTRICAL CONNECTOR,>1000V
Product Type	Deadbreak Elbow Connector with Test Point
Size	Width 12.28 inches, 13.93 inches from Bottom Edge to Center of Installation O-Ring.
Special Functions	SG3 Sealing Kit - Cold Shrinkable Seal with Copper Braid and Constant Force Spring.
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	35 kV

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	756LR-Q0410-SG3	
Instructions and Manuals	756LR-Q0410-SG3	

Classifications		
UNSPSC	39121421	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly	

Categories

756LR-Q0410-SG3 3

