

---

PRODUCT-DETAILS

# ABW 6500 SB 2157BLK

## AL TFR Conn No6-500 Stud 1 6 Cond



Product image  
not available

---

### General Information

Extended Product Type	ABW 6500 SB 2157BLK
Product ID	7TAA261300R0107
EAN	0783786689774
Catalog Description	AL TFR Conn No6-500 Stud 1 6 Cond
Long Description	Aluminum Transformer Connector, #6 - 500 kcmil, Aluminum and Copper, Stud 1 inch, Six Conductor, with boot cover

---

### Ordering

EAN	0783786689774
UPC	783786689774
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

---

### Dimensions

Product Net Weight	1 lb 453.515 g
--------------------	-------------------

---

### Container Information

Package Level 2 Units	10 piece
-----------------------	----------

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm
Package Level 3 Depth / Length	1 in 25 mm

---

## Additional Information

Application	Stud Mount Transformer Connector
Brand / Label	Homac
Connection Type	Mechanical
Insulation Material	Insulating Boot
Material	Aluminum
Number of Batteries	0
Number of Conductors	6
Product Name	ELECTRICAL CONNECTOR <1000V
Product Type	Quick-Disconnect Transformer Connector
Special Functions	In-Line Bar Series. Dual Rated for Aluminum and Copper Conductors. High Strength Aluminum Alloy maintains constant bolting pressure on Conductors. Quick Disconnectability for easy removal from transformer secondary studs. Ball-bottom screws ensure maximum conductor contact pressure and break up interstrand oxides.
Standards	ANSI C119.4

---

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ABW 6500 SB 2157BLK
Instructions and Manuals	ABW 6500 SB 2157BLK

---

## Classifications

UNSPSC	39121443
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4663 >> Electrical underground bus connector

---

## Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Distribution Connectors



Product image  
not available