PRODUCT-DETAILS

ASL 4 NTN

AL TIN 2HOLE NEMA STACK LUG 4

General Information

Extended Product Type	ASL 4 NTN
Product ID	7TAA262020R0108
EAN	0783786696512
Catalog Description	AL TIN 2HOLE NEMA STACK LUG 4
Long Description	Tin Plated Aluminum Two-Hole NEMA Lugs - Stacking lug, Wire Size 4 Stranded AL-CU, installing dies 5/8, TU. Length 1-3/16 inch. Pad 7/8 inch wide x 3-1/16 inch long x 7/32 inch thick. (2) 9/16 inch holes on 1-3/4 inch centers. Barrel 1-1/2 inch long x 5/8 inch Outside Diameter. Oxide Inhibitor. Orange Cap.

Ordering

EAN	0783786696512
UPC	783786696512
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	50 piece
Package Level 2 Units	200 piece
Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in

	25 mm
Package Level 2 Depth / Length	1 in 25 mm
Package Level 3 Depth / Length	1 in 25 mm

Additional Information

Application	General purpose lugs for Aluminum and Copper terminations.
Brand / Label	Homac
Connection Type	Compression
Effective Date	20080619
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL<1000V
Product Type	Compression Lug Two Hole Stacking
Size	Length 5-1/4 inches X 7/8 inch wide
Special Functions	Made from Aluminum which provides high strength and high conductivity. Dual-rated. Use with Aluminum and Copper conductors. Prefilled with oxide inhibitor to prevent oxidation and keep out moisture. All lugs marked with conductor sizes and die reference for easy identification.
Standards	ANSI C119.4
Surface Finishing	Tin Plated
Wire Size	#4 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ASL 4 NTN
Instructions and Manuals	ASL 4 NTN

Classifications

UNSPSC	39121409
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4543 >> Wire connectors

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Distribution Connectors